



PEANUT COMBINE

3384 & 3386



ALL COMBINES INCLUDE LIMITED
3-YEAR WARRANTY



KELLEY MANUFACTURING Co.
TIFTON, GA 1-800-444-5449
www.kelleymfg.com



IMPROVEMENTS OVER PREVIOUS MODEL

- LARGER BASKET (SIX ROW ONLY)
 - 7500 LB CAPACITY- DUMP LESS FREQUENTLY
 - HYDRAULIC FOLD OUT LIP
 - ADDITIONAL CLEANING SCREEN FOR REMOVING SOIL
 - 12 INCH HIGHER PIVOT POINT- PROVIDES CAPABILITY TO LOAD MORE PEANUTS IN THE DUMP CART
 - 6000 LB BASKET- OPTIONAL
- HIGHER CAPACITY HEADER TO HANDLE HEAVY VINES & TWIN ROW PEANUTS
 - SMOOTH CONSISTENT VINE FLOW
 - SMALLER DIAMETER PICK-UP REEL FOR GENTLE PICK UP
 - LARGER DIAMETER AUGER- PROVIDES ADDITIONAL CAPACITY TO GENTLY HANDLE LARGER VINES FOR HIGH YIELDING VARIETIES; THICKER FLIGHTING FOR INCREASED AUGER LIFE
 - HEXAGONAL HEADER ROLLER FOR IMPROVED VINE FEED- RETRO FITS AVAILABLE
- MORE AIRLIFT CAPACITY FOR HIGH YIELDING VARIETIES
 - STANDARD 12 BLADE, BOLT TOGETHER FAN
 - LARGER AIR LIFT FAN SHAFT
- SLIDE-UP LADDER FOR EASY STORAGE
- IMPROVED STEMMER SAWS FOR HANDLING HIGH YIELDING PEANUTS



SPECIFICATIONS

	4 Row	6 Row
Machine Length	338"	3-Ton: 338" / 3 ¾-Ton: 338"
Machine Height	155"	3-Ton: 165" / 3 ¾-Ton: 187"
Header Widths	4 x 36: 142" / 4 x 40: 158"	6 x 30: 182" / 6 x 36: 222" 6 x 40/8 x 30: 238"
Wheel Base (CL/Outside)	133" / 151"	161" / 188"
Tire Size	18.4 x 28 ATU R4	28L x 26 SAT 23° R1
Tire Inflation	36 P.S.I.	20 P.S.I.
Tank Capacity	324 cu ft (260 bushels)/ 6,000 lbs	405 cu ft (325 bushels)/ 7,500 lbs
Hitch	Stationary tractor drawbar types	Stationary tractor drawbar types
Pickup Reel	Low profile, 5-bar, camless	Low profile, 5-bar, camless
Threshing System	7 cylinders, 8 stripper bars (individually adjusted), floating concaves under 4 rear cylinders	7 cylinders, 8 stripper bars (individually adjusted), floating concaves under 4 rear cylinders
Driveline	1000 RPM driveline, safety shielded	1000 RPM driveline, safety shielded
3-Ton Tank	Standard	Optional
3 ¾ Tank (6 Row Only)	N/A	Standard
Hexagonal Header Roller	Standard	Standard
Vine Spreaders	Optional	Optional



FOR THE ULTIMATE FAST, **NON-STOP** PEANUT HARVESTING EXPERIENCE, BE SURE AND CHECK OUT OUR **UNLOAD-ON-THE-GO COMBINE.**
****TAKE HOME A FREE BROCHURE TODAY!**

FEATURING:



DOUBLE SWIVEL GEAR HITCH FOR SMOOTHER, SHARPER TURNS



ADDITIONAL STRIPPERS FOR AGGRESSIVE THRESHING



EASY BOLT ADJUSTMENT OF HEXAGONAL HEADER ROLLER



OPTIONAL VINE SPREADERS FOR EVEN DISTRIBUTION OF PEANUT HAY

NEW OPTIONS:

1- CAMERA SYSTEM

- MAGNETICALLY MOUNTED
- ALLOWS YOU TO EASILY MONITOR YOUR HARVEST WITHOUT HAVING TO TURN AROUND IN YOUR SEAT
- CAN BE ADJUSTED SO YOU CAN SEE TRAFFIC BEHIND YOU WHEN TRANSPORTING COMBINE DOWN THE ROAD

2- HEADER PICKUP REEL MONITOR

- ALLOWS THE OPERATOR TO EASILY MATCH HEADER REEL SPEED WITH GROUND SPEED

3- AIRLIFT FAN ACTUATOR

- ALLOWS THE OPERATOR TO EASILY ADJUST THE AIRLIFT FAN FROM THE TRACTOR CAB



LOWER YOUR LSK RATES WITH THE KMC PEANUT COMBINE!

WHEN PROPERLY MAINTAINED AND ADJUSTED, THE KMC PEANUT COMBINE IS CAPABLE OF PICKING PEANUTS WITH AN LSK RATE FROM 0% TO 2%, DEPENDING ON CONDITIONS.

	1% LSK Rate	2% LSK Rate	3% LSK Rate	4% LSK Rate
Pound per acre loss	50 pounds	100 pounds	150 pounds	200 pounds
Dollar per acre loss	\$9.00	\$18.00	\$27.00	\$36.00
Loss on 500 acres	\$4,500	\$9,000	\$13,500	\$18,000

*ASSUMING A 5,000 LB PER ACRE YIELD & \$500 PER TON REVENUE